

## Avide LED Strip 24V 21.6W RGB IP65 5m

**Product code:** ABLS24V5050-90RGB65  
**Brand link:** [avidelighting.com/qr/ABLS24V5050-90RGB65](https://avidelighting.com/qr/ABLS24V5050-90RGB65)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-10-03

Page: 1/3

### SPECIFICATIONS

EAN code: 5999097917504  
Warranty:  
Working temperature: -20 - +40 °C  
Packaging: 5/b 300/c 4200/p  
Certifications:

### BOX PICTURE

### TECHNICAL DETAILS

Wattage: 108W  
Voltage:  
Beam angle: 120°  
Dimmability: Yes  
Lumen output: 4 950lm  
Color temperature:  
Lifetime: 25 000h  
Energy class:  
Type of LED: SMD5050  
LED / meter: 90LED/m  
IP standard: IP65

## Avide LED Strip 24V 21.6W RGB IP65 5m

**Product code:** ABLS24V5050-90RGB65  
**Brand link:** [avidelighting.com/qr/ABLS24V5050-90RGB65](https://avidelighting.com/qr/ABLS24V5050-90RGB65)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-10-03

Page: 2/3

### CARDBOARD BOX

**EAN:** 5999097917504  
**Packaging:** 5/b 300/c 4200/p  
**Dimensions:** 210mm x 230mm x 10mm  
**Net weight:** 36.4g  
**Gross weight:** 38g

### BOX PICTURE

### CARTON

**EAN:** 5999097917511  
**Packaging:** 5/b 300/c 4200/p  
**Dimensions:** 410mm x 410mm x 240mm  
**Net weight:** 10.92kg  
**Gross weight:** 11.4kg

### PALLET EXAMPLE

**Height:**  
**Width:** 120cm (std Euro pallet)  
**Mepth:** 80cm (std Euro pallet)  
**Cartons per pallet:** 14carton/pallet  
**Cartons per row:**  
**Net weight:** 152.88kg  
**Gross weight:** 159.6kg

Avide LED Strip 24V 21.6W RGB IP65 5m

**Product code:** ABLS24V5050-90RGB65  
**Brand link:** [avidelighting.com/qr/ABLS24V5050-90RGB65](https://avidelighting.com/qr/ABLS24V5050-90RGB65)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



**Date of issue:** 2024-10-03

**Page:** 3/3

PRODUCT DESCRIPTION